

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L17	38	i14 and (destroy\$3 or destruct\$4).clm.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/12/09 15:41
L16	12	i14 and (process\$4 with capacity).clm.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/12/09 15:34
L15	2	i14 and (nullif\$7).clm.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/12/09 15:33
L14	1872	i1 or i2 or i6	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/12/09 15:33
L13	133	726/33.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/12/09 15:33
L12	2	i11 and null\$7.clm.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/12/09 15:31
L11	215	murase-kaoru\$.in. motohashi-yoshihiko\$.in. miyazaki-masaya\$.in. ito-yoshikatsu\$.in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/12/09 15:30
L10	54	i6 and ((nullif\$7 or destr\$7 or delet\$4 or remov\$3) with (content\$1 or data)) and (process\$4 near3 (capable or capacity))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/12/09 15:11
L9	87	i6 and ((nullif\$7 or destr\$7 or delet\$4 or remov\$3) with (content\$1 or data)) and (process\$4 with (capable or capacity))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/12/09 15:06
L8	316	i6 and ((nullif\$7 or destr\$7 or delet\$4 or remov\$3) with (content\$1 or data))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/12/09 15:06
L7	316	i6 and (nullif\$7 or destr\$7 or delet\$4 or remov\$3) with (content\$1 or data)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/12/09 15:06

/MTH/

L6	985	713/193.ccls. and @ad< "20020206"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/12/09 15:05
L5	2	"20020016963".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/12/09 14:56
L4	2	"6577810".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/12/09 14:53
L2	767	386/94.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/12/09 13:25
L1	133	726/33.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/12/09 12:59
S113	108	726/33.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/01/24 13:40
S112	701	386/94.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/01/24 13:33
S111	5	over\$1writ\$4 with (data or file\$1) with (marked or erased or deleted) with (threshold) and @ad< "20020206"	USPAT	OR	OFF	2008/01/24 13:32
S110	37	over\$1writ\$4 with (data or file\$1) with (marked or erased or deleted) with (free or idle or capacity) and @ad< "20020206"	USPAT	OR	OFF	2008/01/24 13:32
S109	761	over\$1writ\$4 with (data or file\$1) with (marked or erased or deleted) and @ad< "20020206"	USPAT	OR	OFF	2008/01/24 13:02
S108	1044	over\$1writ\$4 with (data or file\$1) with (marked or erased or deleted)	USPAT	OR	OFF	2008/01/24 13:01
S107	0	("2002/0126843").URPN.	USPAT	OR	OFF	2008/01/24 13:01

/MTH/

S106	9	(system or process\$4) near (resources or capacit \$4) with (over\$1writ\$4 or (permanent\$4 near (delet \$4 or destroy\$4 or destruct \$4 or eras\$4))) and @ad< "20020206"	USPAT	OR	OFF	2008/01/24 11:54
S105	20	(delet\$4) same (later with over\$1writ\$4) and @ad< "20020206"	USPAT	OR	OFF	2008/01/24 11:51
S104	54	(disab\$3 or eras\$3) same (later with over\$1writ\$4) and @ad< "20020206"	USPAT	OR	OFF	2008/01/24 11:42
S103	3	over\$1writ\$4 with (cpu or processor or micro \$1processor or micro \$1computer or micro \$1controller) with (threshold) and @ad< "20020206"	USPAT	OR	OFF	2008/01/24 11:26
S102	2	over\$1writ\$4 with (cpu or processor or micro \$1processor or micro \$1computer or micro \$1controller) with (busy) and @ad< "20020206"	USPAT	OR	OFF	2008/01/24 11:24
S101	9	over\$1writ\$4 with (cpu or processor or micro \$1processor or micro \$1computer or micro \$1controller) with (idle) and @ad< "20020206"	USPAT	OR	OFF	2008/01/24 11:24
S100	79	over\$1writ\$4 with (idle) and @ad< "20020206"	USPAT	OR	OFF	2008/01/24 11:22
S99	270	over\$1writ\$4 with (idle or threshold\$1) and @ad< "20020206"	USPAT	OR	OFF	2008/01/24 11:21
S98	369	over\$1writ\$4 with (idle or threshold\$1)	USPAT	OR	OFF	2008/01/24 11:20
S97	18	("4262331").URPN.	USPAT	OR	OFF	2008/01/24 11:20
S96	2	("4262331"   "5497373").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/24 10:47
S95	5	("5826083").URPN.	USPAT	OR	OFF	2008/01/24 10:47
S94	19	("5621660"   "5745379"   "5748904"   "5764910"   "5768537"   "5826083").PN. OR ("5964842").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/24 10:35

/MTH/

S93	8	("5964842"   "6032197"   "6163811"   "6286053"   "6311224"   "6345307"   "6385656"   "6438610"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/24 10:33
S92	2	"6615275".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/01/24 10:33
S91	4	"6615275"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/01/24 10:33
S90	2	"20030050996"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/01/24 10:32
S89	37	!\$1frame with (require\$1) with play\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/22 10:49
S88	2	!\$1frame with (prevent\$3) with play\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/22 10:48
S87	0	!\$1frame with (prevent\$3) with playback	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/22 10:48
S86	9	!\$1frame with (needs or needed or necessary) with playback	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/22 10:47
S85	658	386/94.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/22 10:44
S84	0	disabl\$4 with zeroiz\$8 with play\$1back\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/22 09:15
S83	0	disabl\$4 with sanitiz\$8 with play\$1back\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/22 09:14
S82	0	disabl\$4 with house\$1keep \$4 with play\$1back\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/22 09:14

/MTH/

S81	87	726/33.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/22 09:13
S80	97	("5319395" "6249824" "5784366" "5909435" "5877742" "5303393" "5365516" "5526357" "5764691" "5894494" "5999562" "6072185" "6237122" "5507024" "5805155" "5848072" "6181609" "4455483" "5177796" "5274508" "5321699" "5386422" "5388074" "5469444" "5481531" "5506965" "5684774" "5841717" "5917429" "6178121" "6243348" "4415792" "4451108" "4502082" "4796260" "4972474" "5280584" "5377102" "5382508" "5440686" "5477492" "5511212" "5537945" "5561671" "5583975" "5657398" "5684693" "5724241" "5742509" "5831903" ).pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/22 08:50
S79	25	(over\$1writ\$4 or sanitiz\$8 or zeroiz\$8 or declassif\$8) with data with defer\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/22 08:50
S78	40	(over\$1writ\$4 or sanitiz\$8 or zeroiz\$8 or declassif\$8) with data with idle	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 15:45
S77	553	(over\$1writ\$4 or sanitiz\$8 or zero\$1 or zeroiz\$8 or declassif\$8) with data with idle	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 15:37
S76	99	process\$3 near (intense or intensive) with (idle or capacity)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 15:36
S75	143	perform\$3 with intens\$4 with capacity	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 15:30
S74	23	perform\$3 with intens\$4 with idle	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 15:29

[MTH]

S73	36818	perform\$3 with intens\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 15:27
S72	0	perform\$3 with intens\$4 with when with used	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 15:27
S71	0	perform\$3 with intens\$4 with when with idle	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 15:27
S70	6	delet\$3 with encrypted adj data with (delet\$3 or over \$1writ\$3) adj1 key\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 15:26
S69	0	eras\$3 with encrypted adj data with (delet\$3 or over \$1writ\$3) adj1 key\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 15:24
S68	0	expensiv\$3 with data with sanitiz\$8	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 15:23
S67	2	cost\$2 with data with sanitiz\$8	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 15:20
S66	1	intens\$3 with data with sanitiz\$8	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 15:20
S65	1	encrypted adj data with sanitiz\$8	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 15:19
S64	13	data with sanitiz\$8 and (total\$2 or complete\$2) adj sanitiz\$7	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 14:55
S63	9	intens\$4 with idle with until	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 14:49
S61	433	intens\$4 with idle	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 14:12
S62	2	intens\$4 with idle with (postpon\$4 or wait or defer \$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 14:07

S60	39	intense with idle	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 14:03
S59	365	deferr\$3 adj process\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 13:53
S58	4	(disk\$1 or data or memory or storage) with (sanitiz\$6 or zero\$1iz\$6) with (idle or capacity) and @ad< "20010216"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 12:30
S57	59	(disk\$1 or data or memory or storage) with (sanitiz\$6 or zero\$1iz\$6) and @ad< "20010216" and (encrypt\$4 or decrypt\$4) adj key\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 12:25
S56	19	(disk\$1 or data or memory or storage) with (sanitiz\$6 or zero\$1iz\$6) and @ad< "20010216" and queue\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 12:11
S55	473	(disk\$1 or data or memory or storage) with (sanitiz\$6 or zero\$1iz\$6) and @ad< "20010216"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 12:07
S54	987	(disk\$1 or data or memory or storage) with (sanitiz\$6 or zero\$1iz\$6)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 12:06
S53	174	enough with processing adj capacit\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 12:05
S52	0	enough with processing adj capacit\$3 with later	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:30
S51	0	enough with processing adj capacit\$3 with wait\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:30
S50	174	enough with processing adj capacit\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:27
S49	48	judg\$3 with processing adj capacit\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:26

/MTH/

S48	33	secure\$2 near eras\$3 same over\$1writ\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/12/05 13:46
S47	33	secure\$2 near eras\$3 same over\$1writ\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/12/05 13:46
S46	264	secure\$2 near eras\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/12/05 13:45
S45	616	386/94.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/12/05 13:45
S44	74	726/33.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/12/05 13:29
S43	251	eras\$3 with over\$1writ\$4 near1 new	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/12/05 11:28
S42	4911	eras\$3 with over\$1writ\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/12/05 11:27
S41	62	over\$1writ\$4 with new adj (data or block\$1) and zeroing	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/12/05 10:42
S40	141	over\$1writ\$4 with new adj (data or block\$1) same ensur\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/12/05 10:42
S39	2987	over\$1writ\$4 with new adj (data or block\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/12/04 16:22
S1	52	726/33.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/12/04 16:16
S38	550	386/94.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/03/13 14:29
S37	53	726/33.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/03/13 14:28



S36	88	video with stor\$4 with time and expir\$6 with (delet\$4 or eras\$4 or destroy\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/22 11:07
S35	767	video with stor\$4 with time and expir\$6	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/22 11:06
S34	15	video with block with expir\$6	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/22 11:06
S33	0	trick\$1play\$1 with time adj limit	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/22 11:02
S32	0	trick\$1play\$1 with expir\$5	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/22 11:02
S31	44	only with need\$1 with (delet\$2 or destroy\$2 or eras\$4) with (key\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/22 11:01
S30	0	only with need\$1 with eras\$4 with (header\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:57
S29	59	only with need\$1 with eras\$4 with (portion\$1 or critical)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:54
S28	34	(eras\$4 or delet\$3 or destroy\$3 or over\$1writ\$4) near i\$1frame\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:48
S27	0	(eras\$4 or delet\$3 or destroy\$3 or over\$1writ\$4) near only near3 (part\$1 or portion\$1 or pieces\$1 or critical) with ensur\$4 near3 access\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:45
S26	0	(eras\$4 or delet\$3 or destroy\$3 or over\$1writ\$4) near only near3 (part\$1 or portion\$1 or pieces\$1 or critical) with ensur\$4 near3 access\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:45

/MTH/

S25	519	(eras\$4 or delet\$3 or destroy\$3 or over\$1writ\$4) near only near3 (part \$1 or portion\$1 or piece\$1 or critical)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:44
S24	2901	(eras\$4 or delet\$3 or destroy\$3 or over\$1writ\$4) with only near3 (part \$1 or portion\$1 or piece\$1 or critical)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:44
S23	78156	(eras\$4 or delet\$3 or destroy\$3 or over\$1writ\$4) with only	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:43
S22	5	("5193184"   "5835601"   "5991778"   "6016507"   "6070147").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/22 10:35
S21	11	("3717846"   "5166839"   "5394278"   "5757571"   "5901004"   "5969893"   "6282040"   "6469854"   "6493166"   "6507911"   "6603624").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/22 10:27
S20	32	(delet\$3 or eras\$3 or destroy\$3) near (critical adj portion\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:25
S19	0	(delet\$3 or eras\$3 or destroy\$3) near (critical adj portion\$1) near block	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:25
S18	10	(save or reduce) with (processing or time) with (delet\$3 or eras\$3 or destroy\$3) near portion\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:24
S17	97	("5247635" "5623626" "5650883" "5570110" "6755743" "6932708" "4755938" "5347648" "5404482" "5404483" "5611065" "5737742" "5880615" "5920716" "5930193" "6012123" "6035347" "6571312" "4816906" "6016472" "4538257" "4551777" "4969058" "5327535" "5402399" "5428723" "5724581" "6192190" "5282185" "5418940" "5528755" "5459853" "5559644" "5592891" "5794553" "4420829" "4550395" "5311491"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/22 09:46

		"5313612" "5319504" "5335119" "5442493" "5532835" "5543977" "5550684" "5552833" "5555229" "5581360" "5592450" "5596565").pn.				
S16	54	destroy\$3 with decrypt\$4 near1 key	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/21 15:40
S15	252	(eras\$4 or delet\$4 or destroy\$4 or destruct\$4 or over\$1writ\$5 or null\$9) near5 key\$1 near1 (decod \$3 or decrypt\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/21 15:39
S12	86	(eras\$4 or delet\$4 or destroy\$4 or destruct\$4 or over\$1writ\$5 or null\$9) near5 i\$1frame\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/21 15:21
S14	364	(eras\$4 or delet\$4 or destroy\$4 or destruct\$4 or over\$1writ\$5 or null\$9) near5 original\$1 and copy \$3 with protect\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/21 12:21
S13	9166	(eras\$4 or delet\$4 or destroy\$4 or destruct\$4 or over\$1writ\$5 or null\$9) near5 original\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/21 12:21
S11	206	386/94.ccls. and blocks	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/21 12:00
S10	506	386/94.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/21 11:56
S9	78	ogino-akira.in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/21 11:56
S8	2411	ogino.in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/21 11:42
S7	1	ackroyd.in. and howard.in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/21 11:30
S6	107	ackroyd.in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/21 11:21

S5	8	("6694022" "5920673" "6169570" "6144743").pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/21 11:21
S4	2	"6694022".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/21 10:53
S3	2	"4975898".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/21 10:20
S2	2	"4975895".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/09/21 10:20

12/ 9/ 08 4:02:19 PM

C:\Documents and Settings\mhennig\My Documents\EAST\Workspaces\10066725.wsp

/MTH/